

# Chicken 101

## -Basic Management of Poultry in Developing Communities



By  
Jon Moyle, Ph.D.

UNIVERSITY OF  
**MARYLAND**  
EXTENSION

# Table of Content

Introdiksyon.....	3
Pòtrè poul la .....	5
komansman.....	6
Sa pou konnen nan leve poul .....	16
Kòman pou chofe ti poul yo.....	25
Kòman pou ajiste manje poul.....	28
Kòman pou ajiste dlo poul.....	30
Kalite poul yo .....	39
Itilize aparèy pou kale .....	45
Itilize poul pou kale ze .....	48
Chwazi poul .....	53
Poul ki gen vyann.....	58
Poul pou pwodi ze .....	61
Kòman pou chwazi yon bon poul.....	65
Kòman pou ba poul yo manje.....	72
Maladi a poul yo.....	84
Maladi ou ka wè pi fasil nan poul yo .....	92
Vaksen.....	109
Biosekirite.....	113
Kenbe dosye.....	126

# Poul modènn

Ou ka trouve poul nan tout peyi anplis anko vyann poul se manje ki gen anpil proteyin ladanl

Bon kalite proteyin bon pou timoun kap grandi

Lè wap pwodi ni gade poul li bon pou asire manjew anplis li pèmèt ou ka vann li pou gen lajan nan pòch ou

Nan monde lan ou ka di chak moun manje anviwon 13.2kg (29.1lbs) vyann poul pa ane

Modèn ras poul ki gen kounya tout sa li manje pèmèt li grandi byen li ka bon pou li vann nan mache apre 3 mwa

Nan mond lan chak moun konsome 8.9kg (19.6lbs) pa ane

Jounnen jodia yon poul ka kale plis ke 300 ze pa ane

ze yo ka gen plize koulè,mawon,blan,ble,vè

Men koulè ze a pa afekte kalite ze a

Paske leve poul pa chè wap wè se nan domènn sa plis moun nan mond lan chwazi fè



# Kalite poul wap jwen nan zòn kap devlope yo

Poul yo lage kap chache manje pou tèt pa yo



poul yo lage men pafwa mèt yo konn ba yo manje



Poul yo mete yon kote pou yo ba yo manje men se pa paske yap byen swen yo vre



poul ki gen anpil vyann men ki pa bon nan pwodwi ze




Poul sa yo bon nan pwodwi ze men yo pa gen anpil vyann



Poul sa yo gen anpil vyann epi yo bon nan pwodi ze



# pòtrè pou la



# kòmansman



# Premye pa

Trete poul yo kom yon biznis

Fòk gen yon plan

Poukisa wap pwodi plis?

Eske ou genyen yon mache?

Ki kote mache a ye?

Kisa kliyanw yo bezwen?

Fòw kapab kenbe not

Sa ap pèmèt ou wè siw antre lajan, sa ap edew wè ki poul  
ou ka byen pwodi sèlman poul ki pwodi plis yo wap kenbe

Konnen kote poul la soti

Achte poul nan men moun ki swen poul yo byen

Eske poul yo t vaksinen?

Pa achte poul nan mache

Paske poul sa yo ka pote maladi ba poul yo nan jadin an

Kenpot poul pou ta va achte mete yo yon kote pou nenpot 2 a  
3 semèn pouw swiv yo pouw wè si yo nan bon eta

Fow kapab ranje tout bagay avan ou achte pou la



# Kòmansman

Poul yo bezwen 3 bagay pou yo kapab byen grandi

Yon bon lokal

Yon kote ki proteje nan

Anvironman an.

Yon kote pou lot bêt pa vin manje yo

Manje

dlo



*Fow proteje ti poul yo  
plis ke gwo yo*


# Kote yo gade poul yo

Preske tout kay ou fè pou poul yo se yon avantaj si kay yo konstri pou poul , yo pèmèt poul yo alez gen bon van ki pase landanl lè li fe lapli dlo pa moute oubyen li pa chita andan an li bon, men li tap pi bon siw fèl anba yon pye bwa ki ka pèmèt lonbwaj

Menm poul ou lage nan laria ka benefisyé nan yon kay ou fè pou li si ta gen move tan oubyen lanwit lè li gen lòt bèt ki vle manje yo



Dlo a chita nan kay sa  
li pa bon



sa se yon bon kanal  
pou dlo a pase dlo a  
pap chita

# Kay poul

Nan kote ki fè cho:

Siw gen yon kote se ak van naturel sèlman wap itilize pou ba poul yo van bat pou pozisyone kay lan ant ès e wès kote solèy la pap fikse kay lan si kay lan anba yon gwo pye bwa bat pou pye bwa a pa enpeche van antre nan kay lan

Siw gen plis kay bat pou pa mete yo trò pre pou pa anpeche van sikile

Bat pou pa fè kay la trò ba sa ap pèmèt ou travay pi alèz anplis lap pèmèt kay la pi fre

Itilize materyo nan zòn ou epi bat pou fè lokal la swa pou ka netwayel pi fasil

Nan kote ki fè fredi ou ka itilize rido lè li gen fredi.. anplis ankò lap bon lew ap grandi ti poul yo pou anpeche van ranstre lè yo piti apre pèmèt van ranstre lè yo vin pi gran



# Kay poul

Lè wap fe kay poul lan fè dal kay la pi long pase kay la pou lè gen lapli pou dlo pa rantre

Fè li yon jan pou dlo a koule rapid

Asire ke lòt bët paka rantre nan kay poul yo

## Se 2 kalite kay ou ka fè

1. Yonn pou poul yo pa soti
2. Yonn pou poul la ka soti lèl vle

## Stocking densities (maximum)

(pou poul ki leve deyo se menm bagay la pou premye 3 semènn)

laj (semenn)	0 – 2 semenn	2 – 5 semenn	6 semenn- gramoun
Birds / m <sup>2</sup>	30	20	5*
Birds / f <sup>2</sup>	4	1-2	1/2

\*poul ki gwo ap bezwenn plis espace

# Byen asire kay la



*Kite poul yo andan toutan pa  
janm kite yo soti*




Ou dwe mete yon baraj jis pou  
lòt poul pa vini nan lokal paw  
la


# Kay kote poul yo rete andan sèlman



*Hope in the Harvest*



# Kay kote pou la ka soti deyo



# Kay poul yo

Kote poul yo apral dòmi enpòtan ou ka fè kabann pol yo ak pay diri zèb tout sa ou wè kap fasilitew

Ou ka itilize pay pistach pay diri nenpòt bagay ki souf pou ti poul yo

toujou itilize pay ki pròp si li kòmanse sal ou ka chanje li ou ka pran pay ki sal la pou mete atè epi mete pay pròp nan kabann a poul

Siw pay a poul la ta mouye ranplasel


Men pi souvan ou pap bezwen chanje pay a poul yo

Ou ka chanje pay a poul se sèl lè ou gen nouvo lòt poul ki pral vin nan lokal la

Pay diri



Pay bwa



zèb



Sa pou konnen  
nan pwodi pou l



# Kalite ti poul

Bat pou jwenn bon kalite poul

Eseye tout ras poul pou wè kiyès ou renmen

Mache plizyè kote pou wè kote ki pi byen leve poul yo  
oubyen vann ti poul yo

Yon bon kalite poul dwe gen yn

zye ki ta sipoze limen trè vivan

tout pati kò li ta dwe fin geri

pye li dwe byen jòn

san defòmasyon





Ti poul sa yo pa bon

# Lew ap pote ti poul yo



Fow asire ke lè wap pote poul yo pouw mete yo


Yon Kote ki pa fè ni cho ni frèt

Asire ke nan bwat ou mete poul yo a f149k van kapab  
pase ladaml, se nan fason wap pote poul yo kap few wè

Kijan poul yo ye

Depi yo alez yo rete dousman si yo pa alez wap wè yo fè gwo  
bri epi yap itilize plis dlo nan ko yo kap vin pèmèt yo dilate

Aprè lè ou rive avè yo nan jaden an fòw retire yo nan bwat yo  
apre pouw jete bwat yo




# Fason yo grandi

Lèl fenk fè




Lè lap  
grandi



2 Weeks

Lèl prè



~16 weeks

# Lèl fenk fèt

Nan premye de semèn yo li enpotan pou moun kap leve ti poul yo fè plis atansyon sou yo pou yo kapab grandi byen fòk ou pwan atansyon sa pou tout kalite poul wap leve

## 6 Bagay pouw konnen lè wap leve poul yo


1. Kote ou pwal mete yo
2. Fòk ou gen recho
3. Fòk ou gen manje
4. Fòk ou gen dlo
5. Fòk ou gen limyè
6. Yon kote pou van pase



Lè ou vini ak poul yo fòk kote ou pwal mete yo a pròp epi fòk ou gen yon recho pouki chofe yo fòk ou genyen dlo ak manje



# Koman pouw plase dlo ak manje (li enpotan pouw genyen anpil dlo ak manje)



Yo pi souvan ap leve ti poul yo nan yo vesò ki won men li pa oblige se nan vesò won sèlman ou kapab leve yo li kapab kare, triyang elatriye sof ke yo jwen manje, dlo lumyè ak recho pou yo kapab chofe yo

# Cho

Avan ou vini ak ti poul yo fòk  
kote ou pwal mete yo a ke tout  
bagay deja prepare pou yo


Wap bezwen yon recho poul kapab chofe tout chanm nan

Pi souvan moun yo konn itilize kouran,gaz oubyen chabon

Ou pa bwwen itilize lanp paske li pap kapab chofe tout chanm  
nan



Fòk ou fè atansyon ak bagay wap  
utilize pou chofe poul yo pa mete yo  
trò pre kote yo dòmi an li kapab ba  
kay la dife



# cho





Pa fè chanm kote wap kenbe ti poul yo a trò cho... toujou tcheke pou wè si recho a limen ou ka pase pou wè si chanm nan nòmal

Ou ka fè kote ou mete ti poul cho pou premye ti jou yo apre pou diminye nan chalè a

Van an pi bon pouw kenbe tanperati a yon chanm fòk chanm nan genyen bon limyè, bon van epi fòk van an pa genyen seren ladaml paske seren an kpab fè poul yo mal grandi



# Fason pou ti poul yo kapab chofe



cho


Yon sèl bo<sub>25</sub>

# Manje ak dlo

Li enpotan pou lè wap ba ti poul yo manje pou gen ase vesò pou tout ti poul yo epi fòk ou asire ou gen ase manje ak dlo pou tout ti poul yo tou.. Toujou bat pou mete yon gren vesò pre recho a..

Pa ba ti poul yo gro gren manje

Pa depanse anpil kòb nan achte vesò ou ka itilize banbou oubyen galon dlo oswa galon lwil pou vesò



Nan premye jou ti poul yo itilize anpil vesò pou ti poul yo ka jwenn manje yo alèz



# Manje ak dlo

Pou facilite ti poul yo lèw fenk ap mete yo nan kay ou ka tou mete papye atè epi ou mete manje anwo papye a epi ou mete ti poul sou manje a pou yo ka jwenn manje a pi fasil..

Ou ka retire papye a apre yom 3 a 4 jou



Nan premye semèn nan ou plen vesò a manje

Nan dezyè senmen nan ou ka mete pifò nan vesò a

Pou ti poul yo pa gaspiye manje a

Mete plizyè vesò nan kay la pou ti poul ka jwenn manje alèz

Swiv ti poul yo pou wè si tout poul yo ap manje .

Veso wap ba ti poul manje fòk li nan wotè pou ti poul yo ka  
mache sou li lè yo grandi ou ka fè vesò yo pi wo pou yo ka  
kanpe pou yo ap manje




# Koman pou ajiste manje a poul yo

Nan  
premye  
semèn



Lè li ap  
grandi



# Manje ak dlo

Nan premye semèn nan fòk poul yo byen manje pa janm kite manje poul yo fini paske si manje a fini sa kapab fè poul yo mal grandi,

Pa janm kite dlo a poul yo fini, ba poul yo bon dlo trete fòk ou netwaye vesò poul yo ap bwè yo chak jou

Lè poul yo grangou



Li enpotan pouw pwan tèt ti poul yo pouw mete nan dlo a pou yo kapab wè kote dlo a ye

Si lè wap pote poul yo ou pwan plis ke yon jou lè ou rive avè yo

Piga ou kouri ba yo manje, ba yo dlo pou yo kapab ranplase dlo yo te pèdi a

Lè poul yo kontan



## Wotè vesò dlo a



<http://www.familiesraisingchickens.com/Chicken-Waterer.html>

toujou bat pouw mete dlo a byen ba nan vesò a pou ti poul yo

Lè poul yo fin byen konnen kòman pou yo bwè dlo a yo menm sèl, ou kapab fon ti moute wotè dlo a

Lè vesò a pi wo li gen plis chans pou ti poul yo pa sal dlo a

# Koman pou ajiste dlo a poul yo

Lèl fenk fèt



Lè lap  
grandi



Lèl fin  
grandi



# Wotè vesò a dlo a

Pou poul kap grandi vesò a ta sipoze nan menm wotè ak lèstomak yo



Pou poul ki fin grandi yo vesò dlo a ta sipoze nan menm wotè avèk do yo




# Bon egzanp kòman pouw plase dlo ak manje



# Ap grandi

Se lè yon poul komanse kale ze li fin grandi



# Ap grandi



Li pa difisil pouw jere yon poul, yon poul kapab kontrole tanperati a kò li men li ka toujou bezwen yon ti chalè anba recho jiskaske li fin pouse tout plim li

Lè poul la fin grandi li kapab rete nan fredi san problem sèlman fò li asire ke li pa mouye ni pou van ap vantel

Li pi bon pou bat pou kite poul yo anba kay jiskaske yo rive nan laj 4 semèn sa ap asire yo pa mouri paske yo ap jwenn manje ni dlo

Pou poul yo byen grandi bat pou manje poul yo pa janm fini

Toujou ranje wotè vesò poul yo pandan yo ap grandi

Si vesò a trò ba poul yo ap gate manje yo

Bat pouw gen ase espase pou tout poul yo ka manje ansanm

Li enpotan anpil pou poul yo jwenn dlo dri si li fè cho poul yo pa jwenn dlo yo ka mouri

Fòk dlo a toujou fre ni pròp

Poul yo konsome 2 fwa dlo ke manje

Veso sa ou wè la trò ba pou gro poul men li bon  
pou ti poul yo si ti poul ak gro tpoul ap grandi  
ansanm toujou mete vesò a nan wotè a ti poul yo



# anpeche gaspiye manje

Lèw gen ti poul mete vesò a atè pandan yo ap grandi ou ka moute vesò pou fatra ba tombe nan manje a

Ou ka mete anpil manje nan vesò a pandan poul yo piti men lè yo grandi mete yon ti kal pou yo pa gaspiyel



Veso a trò ba poul yo ap gaspiye  
manje



Ranje vesò  
yo pouw pa  
gaspiye  
manje

# Mete pye bwa

Mete pye bwa nan kay poul yo pou yo chita sou li...lè yo jwen pye bwa yo pap chita sou vesò yo lè sa yo pap twalèt nan vesò a

Lew ap mete pye  
bwa toujou kale pye  
bwa pou wè si pa  
gen ti bèt ki sere  
anba yo



Lew pa gen pye bwa poul yo renmen chita sou vesò manje yo  
lè sa yo ka twalèt nan ladaml



# Bèt sovaj

Li genyen yon pakèt bèt sovaj deyò a


Chyen ak chat kap bat pou manje ti poul yo si pa gen moun kap veye yo

Rat

Zwazo

Tout bèt nan raje yo, koulèv chat mawon

Se lannwit bèt sovaj yo plis mache toujou bat pou ti poul yo yon kote byen sekirize avan ke moun kap leve yo a al domi



<http://dangerous-wild-animals.blogspot.com/2011/04/weasel.html>



<http://www.telegraph.co.uk/news/earth/wildlife/7818562/Foxes-are-not-for-chickens.html>

# Me ki dezòd poul kapab fè antre yo

Me ki dezòd poul yo kapab fè

Ou kapab wè yo kòmanse ap manje menm pròp ze pa yo

Si ou wè yo kòmanse ap fè sa se pa yon bagay ke yo

Kapab kite fasil

Men kisa ki kapab koz yo fè sa

Yo pap byen manje

Yo pa gen anyen pou yo fè

Toujou bat pouw wè si pa genyen nan poul yo ki domaje, ou ka koupe

Bèk yo pou enpeche yo fè dezòd



Sa c lè poul yo konn ap ankouple ki  
koz sa konn rive yo men pafwa lè  
ou wè sa ap rive ou sipoze mete mal  
yo yon kote pou evite jan de  
problèm sa yo, men fòk ou toujou  
mete yo avè poul yo nan semèn nan  
jis pou yo kapab ponn



bèk poul sila a trò long li  
enpechel manje men ou  
kapab pwan yon tayzong  
pou ou koupel

Poul kap fè ze e  
poul ki pou manje



# Prodiksyon ze

Se lè yon poul rive nan laj 18 a 22 semèn li ka pare pou li kale ze men konsa tou Li ka kòmanse kale ze a pati 16 semèn

Li pran plis tan pou gro poul yo kale ze ke poul ki pi chèch yo  
Fòk ou toujou gen dlo ak manje

Dlo enpotan anpil paske li jwe yon gwo wòl nan ze a si yon poul pase yon pil tan nan jounnen an san dlo sa ka redi prodiksyon ze a

Fòk ou mete yon bwat kote poul yo ka kale ze

Yon bwat ka sevi 6 poul siw gen plis poul fòk ou genyen plis bwat

Bat pou mete bwat la nan lonbwaj pou ankouraje poul yo pou itilizel



# Prodiksyon ze

Ou pa bezwen anpil mal pou pwodi ze ou ka mete yon grenn male pou chak 10 a 12 femèl

Li pran 24 a 27 èd tan pou yon poul fòme yon ze

Poul yo itilize kalsyòm pou pwodi yon ze lew ap ba poul yo manje ba yo manje ki gen kalsyòm ladaml pou ede yo ranplase sa yo pedi a

Toujou pase gade pou wè si dlo a poul yo fre paske dlo ki cho ka ba poul yo problèm nan zo



# Program limyè

Fòk poul yo anba limyè 24 sou 24 pou premye 4 jou yo

Apre ou ka redi limyè a 20 sou 24 pou res 3 jou yo

Nan dezyèm semen nan ou ka ba yo 16 zèd tan limyè

Apre dezyèm semèn nan ou ka ba yo solèy

Men siw ka, li ta bi pou grandi poul yo anba 8 èd tan kouri pou jis yo fin grandi

## Program limyè (siw pa gen kontrol limyè)

laj jou	1-4 jou	4-7 jou	8-14 jou	15+ jou
Kantite limyè	24 trèd tan	20 èd tan	16 èd tan	solèy

Si li posib pouw ba poul 14 a 16 èd tan limyè pou amkouraje  
poul yo ponn ze

# Pou kap leve nan kaloj

Li pemet ou plis poul nan yon kote ki piti

Li pemet yo pa nan kontak ak tik obyen ti bet ki ka sere nan plim yo

Ou gen plis chans pou pa pedi ze

Anplis yon an sekirite



# Poul kap leve nan kalòj

Kay sa fèt avèk planch, bwa yon ti filfè ak yon tapi ou ka itize saw gen pou fè yon kay epi ou mèt itilize twalèt yo poul yo pou mete nan lokal li



Kay sa gen espase pou  
poul yo mache epi li gen  
bwa pou poul yo chita



Lè wap fè depo  
ze



# Le ze ap kale

Li pran 21 jou pou yon ze kale siw gen yon poul kap leve yon ti poul li kale ze nan moman yo se pou sa ou ka itilize yon aparèy pou kale ze yo pou poul la toujou ap kale ze

Bon tanperati aparèy la se 37.5C (99.5F)

Siw gen yon aparèy metel yon kote ki pa gen solèy ki gen fenèt avèk sekirite

Bon imidite a se 55% oubyen 28.5C (83F) limyè imide


Toujou gade pou wè si aparèy la gen dlo pou li byen fonksyone

Fòk ou vire ze yo nan aparèy la 4 a 8 fwa pa jou apre 16 jou ou pa bezwen vire ze yo ankò



# Lè ze ap kale

Pi fò aparèy yo se ak kouran yo sèvi men wap jwenn sa ki sèvi ak lanp gaz siw ap sèvi avèk yon konsa toujou vante gaz ki nan chanm paske li touyee lòt ze yo anplis li ka ba moun ki rete nan kay la problèm



Egzanp aparèy lanp a gaz

Incubation Table

Species	Days	Temperature	Humidity
Chickens	21	37.5°C (99.5°F)	55-60
Ducks	28	37.5°C (99.5°F)	55-60
Quail	17-18	37.5°C (99.5°F)	55-60
Geese	30	37.5°C (99.5°F)	60
Turkey	28	37.5°C (99.5°F)	55-60

Utilize poul pou  
kale ze



# Itilize poul pou kale ze



Pouw wè ki poul ki ka kale plis ze chwazi yon poul ou wè ki renmen chita sou ze ki pa renmen leve

Yon poul ki agasew lèw bat pou level sou ze a

Yon poul ki manke plim sou lèstomak li



# Itilize poul pou kale ze

Mete poul yo yon kote bêt sovaj pap jwenn yo

Ba yo dlo ak manje

Yon kote van sikile



Mete ti poul yo yon kote ki gen sekirite

Yon kote bêt sovaj paka jwenn yo lajounen kou

Lannwit fèmen yo kote ak manman yo

Asire ke ti poul yo ap  
jwenn manje ak dlo lè  
yo fin fèt



# Koman pou mete ze nan depot

Mache pran ze 2 a 3 fwa pa jou

Lew ap mete ze nan depo asire ke bout anba ze a ap pike anlè

Mete ze ki pral kale yo yon kote ki fre yon kote solèy pa fikse sou yo

Pa kite ze nan depo pou plis ke 7 jou

Ou ka toujou mete plizyè ze anba yon poul pou kale menm si se pa poul la ki te pwodi ze a



# Sa ki koz yon ze pa kale

Siw wè yon ze pa kale me sa ki ka koz sa


Ou te kite ze a nan depo a pou trop tan

Ze a ka sal oswa li gen yon ze ki degoute sou li ki ka  
anpeche ze a respire

Ze a ka kraze

Ou te kitel nan soleÿ

Siw wè yon ze pa kale ou ka tann yon konbyen jou aprè  
pou ouvè ze a pou wè si li te komanse ap fòme



COBB-VANTRESS, INC. • P.O. Box 1030 • Siloam Springs, AR 72761 • USA • Tel: 479.524.3166 • Fax: 479.524.3043 • [info@cobb-vantress.com](mailto:info@cobb-vantress.com)

COBB EUROPE LTD • Oyster House, Severalls Lane, Colchester, Essex, UK • Tel: +44 1206 835835 • Fax: +44 1206 756864 • [info@cobb-europe.com](mailto:info@cobb-europe.com)

COBB-VANTRESS BRASIL, LTDA • Rodovia Assis Chateaubriand, KM 10 • CEP: 15110-000/Caixa Postal 2 • Guapicu-SP-Brasil • Tel: +55 (17) 3267 9999 • Fax: +55 (17) 3267 9992 • [cobb.info@cobb-vantress.com.br](mailto:cobb.info@cobb-vantress.com.br)

COBB-VANTRESS PHILIPPINES INC. • 5/F 8101 Pearl Plaza, Pearl Drive • Ortigas Center, Pasig City Philippines • Tel: +63 2 634 3580 • Fax: +63 2 634 3598

[www.cobb-vantress.com](http://www.cobb-vantress.com)

# Seleksyonne bon ras poul



# Rasyal

Gwosè yon poul avèk jan li pwodi ze ap depan de ras li Pou poul kap pwodi ze wap bezwen yon poul ki pa gen anpil vyann ki gen jarèt long poul sa yo pa bezwen anpil manje pou yon prodi ze

Poul pou kale ze  
wap wè yo pa gen  
anpil vyann



Sa se 2 kalite poul yon poul  
lokal avèk yon poul modèn  
yo manje menm manje men  
wap wè poul modèn nan pi  
gwo


# Ki kalite poul ou vle gade

Se 2 kalite poul li genyen, yonn pou vyann yonn pou ze  
Siw wap chwazi yonn pou vyann fòk ou konnen li pap  
pwodi anpil ze

Siw wap chwazi yonn pou ze fòk ou konnen li pap gen  
anpil vyann sou li



2 poul sa yo leve asanm  
yo manje menm manje  
men wap wè poul  
modèn nan pi gwo ke  
poul ki pou pwodi ze a



# Enfòmasyon pouw konnen


Toujou fè yon bidjè ke ou vle reyalize

Toujou bat pou mal yo byen ak femèl yo dri

Veye poul yo pou wè ki poul ki ansante ni sa ki malad

Kenbe sèl poul ki ansante yo retire poul ki malad yo

Wap bezwen plis femèl ke mal pou chak 10 femèl ou  
gen wap bezwen yon sèl mal



# Efomasyon pouw konnen

Pa konpare poul ki pa nan menm laj

Si wap chwazi yon poul nan laj fòk ou konnen ki kalite poul ou bezwen si se yon pou ze obyen pouvyann



Egzanmp ou ka chwazi yon poul pou vyann nan laj 12 semenn men yon pou ze ou tann pou le poul komanse ap kale ze

Pa kompare poul ki pa nan men ras

Egzanp yon poul pou ze avek yon poul pou vyann



Chwazi poul ki ansante sèlman

Retire tout poul ki malad yo oubyen ki pa ansante

Gade tet poul lan pou wè si tèt li byen limen si tèt li fè yon Ti nwa pa chwazil paske sa ka yon sin ke poul la malad na kè

# Seleksyone pou pou vyann



# Kòman pou mezire poul yo


Kijan poul yo ap grandi

Manje

Konfirmasyon

Sante

Gwosè lè li fin grandi



# Kijan poul la ap grandi

Li fasil pou kontrole poul kap grandi

Poul ki pou vyann yo grandi rapid

Yon sel bagay pou fè gade pouw wè si se vyann kap plen poul lan

Toujou tcheke poul yo nan laj 14 a 35 jou

## Manje

Li gen yon bagay ou ka fè pou wè kijan manje ap grandi poul yo

Egzanp pou chak 3kg manje ou ba yon poul li ta sipoze pwodi 1kg vyann

Ou ka eseye sa sou yon poul oswa sou plizyè poul

## konfime

Poul ki pou vyann yo sipoze gen bon kô


Fòk li gen

Gwo do

Gwo lèstomak

Gwo kò

Gwo jarèt



# Seleksyone pou pou fè ze



Kòman pou mezire poul yo

Kòman li pwodi ze

Konfime


Sante

Gwosè lè li fin grandi



# Pwodiksyon ze

Itilize poul ki byen prodi ze sèlman  
Swiv byen kòman poul yo pwodi ze  
Itilize yon baraj pou fè poul yo rete andan kay yo



*Baraj la bon pou idantifye  
ki kalite ak kombyen ze  
poul la prodi*

Chwazi poul ki kòmanse pwodi ze bonè  
Chwazi poul ou wè ki fè plizyè jou lap pwodi ze avan li  
pran yon pòz  
Retire poul ou wè ki kòmanse ap pèdi plim li lè li fin  
pwodi ze  
Retire poul ou wè ki pa pwodi bon gwosè ze



# Pwodiksyon ze

pa chwazi poul kap leve ti poul pou li kapab kale ze  
Paske poul pa pwodi ze le ap leve ti poul

## Konfime

Fòk yon poul gen bon kapasite  
pou li ap pwodi ze byen

Fòk poul la

Gwo

Long

Près

Pou li kapab byen pwodi



## Sante

Chwazi poul ki an bòn sante sèlman


Retire tout poul ki malad



Identifie yon pou  
ki bon pou kale ze



Sa pou veye nan poul kap  
byen pwodi



Mal pwodi



Byen  
pwodi

# Sa pou veye nan poul kap byen pwodi



Mal pwodi



Byen  
pwodi

# Sa pou veye nan poul kap byen pwodi



Mal pwodi



Byen  
pwodi

Sa se poul ki kòmanse rantre nan laj ki gen pye jòn

# Sa pou veye nan poul kap byen pwodi



Mal pwodi



Byen  
pwodi

Sa se poul ki kòmanse rantre nan laj ki gen pye jòn

# Sa pou veye nan poul kap byen pwodi

Mezire konbyen dwèt on ka mete siw paka mete plis ke 3  
dwèt poul la pap byen pwodi



Mal pwodi  
Dyen  
pwodi

# Sa pou veye nan poul kap byen prodi

Mezire konbyen dwèt ou ka mete siw paka mete plis ke 3 li pap  
byen prodi amplis fok li souf e djamm



Byen prodi  
Mal prodi

Kalite manje pouw  
ba poul yo



# Dlo

dlo enpotan pou poul yo anpil poul yo ap toujou bezwen  
dlo fre pou yo bwè

San dlo poul yo paka pwodi ze

Pa ba poul yo dlo sal paske li ka fè yo malad

Ba poul yo bon dlo trete



Sa bon  
Poul yo ka bwe landanl  
me yo paka sal li

73  
Sa Pa bon  
Dlo a sal li trò ba poul yo ka moute  
sou li  
Sèl si ti poul yo ap bwè landanl ou ka  
kitel men fòk ou proptel dri

# Men poukisa pou ba poul yo bon manje

Pi bon sante

Plis ze

Poul yo grandi pi rapid

<u>Équilibrer une</u>	
Maïs	50
F. Poisson	20
T. Soja	5
T. D'arachide	5
T. Palmiste	10
Coquillage	10
Sel	
Methionine	0,5
Premix	1
	2,5

## Bon manje gen senk bagay ladanl

1. Proteyin
  2. kaboydrat
  3. gwès
  4. Mineral
  5. Vitamin
- } enèji

# Proteyin

Proteyin se yon bagay ki enpotan pou poul yo se li ki pral pèmèt poul yo grandi byen e pouse bon plim ou ka trouve proteyin nan

Tout kalite pwa

Pistach

Manje ki gen pwason ak vyann

Legim ak kasav

## Proteyin ak enèji pou poul kap pwodi vyann

laj(semèn)	0-3	3-6	6-8
proteyin %*	22-23	20-21	18-20
Enèji kcal/kg	3,200	3,200	3,200



# Proteyin avèk enèji pou poul kap pwodi ze

laj (semèn)	0-6	6-12	12-18	18 a premye ze	Prodiksyo n ze
proteyin %*	18-20	16-18	15-17	17-18	16-18
Enèji kcal/kg	2,850	2,850	2,900	2,900	2,900

\*sa depan de kalite proteyin

3% a 4%

kalsyòm

0.5% Phosphorus

Sonje kantite manje poul yo ka manje diminye lè solèy la trò cho 32°C (90°F)

Si li trò cho fòk manje yo gen plis proteyin 37°C ()

## Vitamin ak Mineral

Vitamin ak mineral enpotan pou poul kap pwodi ze  
Li pèmèt zo poul lan byen devlope



# Enèji

poul yo bezwen enèji pou yo grandi ni pwodi ze li bon

Pou ba poul yo fòs



## Les glucides

Les glucides se nan kalite manje sa wap jwenn plis enèji pou poul yo

Wap jwenn nan mayi diri patat ak lòt manje ou ka plante



## manje ki gen grès

manje ki gen lwil nan li bon pou poul yo paske sa ede yo poul yo gen enèji



## Approximate daily water consumption (ml) per bird

## Approximate daily feed consumption (grams) per bird

Age (week)	Layer	Modern Broiler
1		65
2		120
3		180
4	100	245
5	300	
6	330	
7	400	
8		
9		
10		
11		
12	160	
13		
14		
15		
16		
17		
18	200	
19	220	
20	250	
21 and up	270	

Age (week)	Layer	Modern Broiler
1	10	21
2	15	50
3	20	95
4	25	135
5	30	170
6	40	190
7	45	200
8	50	
9	55	
10	60	
11	65	
12	70	
13	75	
14	80	
15	85	
16	90	
17	100	
18	105	
19	110	
20	120	
21 and up	130	

\*Hot weather will increase water consumption

# Byen plase manje

Mete manje a yon kote ki asire ni pa gen rat

Epi mete manje a chita sou yon bagay



## Melanje manje a

melanje manje ou deja gen lakay ou avèk sa ou achte nan mache

Lè sa siw pa gen yon bagay lakay ou ou ka achtel nan mache a

Pou Poul yo jwenn tout vitamin yo bezwen



# Melanje manje

Fòk ou melanje plizyè manje lèw fè sa poul yo jwenn tout vitamin ak proteyin yo bezwen pou yo byen pèfòme

Yon manje ki bon pou poul yo  
se yon manje ki gen 40%  
proteyin melanje ak lòt kalite  
manje



## Separe manje

Lèw separate manje poul yo ka chwazi ki kalite manje yo vle manje

li enpotan pou ba poul yo manje zo ou ka kraze zo epi mete nan manje a poul yo


# Itilize saw dejə genye

Enèji



Itilize manje ou ka plante tout manje bon diri patat  
kasav mayi tout manje sa yo ap bon

Manje ki ka ba poul yo fòs ak kouraj




# Itilize saw genyen

## Proteyin

lè wap itilize pwa pròpte pwa avan ou ba poul yo manje li


Manje pwason bon pou poul yo men pa ba yon anpil paske li ka fè ze poul yo gen move gou

Toujou ba poul yo manje ki gen vyann



# Kòman pou melanje manje poul yo

Itilize foto sa pou wè kòman pou melanje manje a poul yo



*li te gen yon gwooup misyonè ki te  
Pa poul yo manje konsa*

50%-mayi

10%-Pistach

6%-pwason

15%-manje ki gen farin

19%-palm kernel gato

\*se manje sa yo te ba poul yo

## Basic Layer Diet (1 kilo)

Ingredient	<8 weeks	8-17 weeks	18+ weeks
Ground corn	500 g	575 g	600 g
Toasted ground soy	440 g	360 g	325 g
Bone meal	55 g	60 g	70 g
Salt	5 g	5 g	5 g

## Basic Meat Bird Diet (1 kilo)

Ingredient	<4 weeks	>4 weeks
Ground Corn	485 g	565 g
Toasted ground soy	480 g	400 g
Bone meal	30 g	30 g
salt	5 g	5 g

# Maladi a pou l yo




With assistance from  
Dr. Nathaniel Tablante, Professor and Extension Poultry  
Veterinarian, University of Maryland  
and  
Dr. Daniel Bautista, University of Delaware, Lasher Lab

# Maladi

Tout sa ki enpeche yon bon fonksyon nòmal se yon maladi

Se 3 bagay ki ka koz yon maldi

**ajan**



**Hôte**



**anviròman**



Epa tout maladi ki soti nan mikròb li ka soti nan kondisyon  
wap leve poul yo

# Maladi



<http://health.utah.gov>

## Mikròb

Mikròb ka kòz anpil maladi men li ka trete fasil

## viris

Viris ka koz anpil maladi ou paka trete yon virus yon sèl bagay ou ka fè se pran anpil prekosyon pou sa pa rivew

## Maladi pye

Pa gen yon bon remèd pou sa maladi ka eseye tretel

**Antibiotics only  
work against  
bacteria!**

## Chimik

Se lè kote poul yo ap demere a pa pròp yo ka vin an kontak ak pwodi chimik egzanp pwazon rat

Bagay ou ka eseye fè se proteje poul yo

Gade pouw wè si manje yo fre



# environman

Tan

Tanperati  
imidite  
van


Sezon

Bon lokasyon

Kay poul yo

Proteje manje poul yo

Pou van lapli ak solèy pa fikse yo



Pa ba poul yo  
manje gate



<http://www.rspb.org.uk/community/wildlife/f/2543/t/110087.aspx>

# jesyon

Pou gen jesyon fòk ou toujou tcheke

Bon kalite manje

Bon limyè

Bon van

Bon dlo

Gran espas

Sante

Vaksen ak remèd



Byen sekirize poul yo pou moun ak lòt poul pa fè yo malad



# Sa pou veye

Men kijan ou ka wè si yon poul malad

Ou ka wè li fèb lap tramble tèt li ap vire oubyen li paralize

Zye li ka kòmanse anfle tèt li chanje koulè oubyen ou wè poul yo ap mouri



Vin abitye avèk yon poul ki  
an bòn sante pou ka idantifye  
yon poul ki malad



## Lòt ka maladi

Ap mal pwodi ze


Dyare ak mòtalite

Pa vle manje

Plim li pa nòmal

Touse mal espire

Ap ran flim



<http://www.thepoultrysite.com/publications/6/diseases-of-poultry/194/infectious-bronchitis-ib>

# Sa pou veye



# Sa pou veye

## Nòmal



## Lè li pa nòmal



# Maladi ou jwenn pi souvan nan poul yo



With assistance from  
Dr. Nathaniel Tablante, Professor and Extension Poultry  
Veterinarian, University of Maryland  
and  
Dr. Daniel Bautista, University of Delaware, Lasher Lab

# Newcastle Disease (Ranikhet)



- Paramyxoviridae virus (RNA virus)  
virus sa kòz

Visaj a poul yo anfle

Pye li vin rouj

Mal respire

Nen/bouch/zye ran flim

Zye li gen kras

Touse

Fè atasyon maladi sa ka afekte moun



# Sa pou fè pou anpeche sa

Plis sekirite


Vaksen

dezenfèkte zòn ki te gen maladi a


Elimine tout poul ki gen maladi a

Byen tere poul yo

Netwaye lokal ou



Ze ou wè ki pa nòmal ka  
yon sin de novo maladi



# grip



Se yon viris ki rele Orthomyxovirus

Wap plis wè se 2 branch nan maladi ki atake poul ki se H5 ak H7

Li afèkte prèske tout poul yo


Li ka afèkte moun

## Patojèn wo

Move siy nan poul yo  
mòtalite

## piti patojèn

Li mal respire  
piti mòtalite



# Men ki siy pou veye

Si poul la ap touse ap goumen pou li pran souf

Li gen diare koulè vè li pa vle manje li mal  
pwodi ze oubyen

Pedi pwa



## Sa pou fè pou anpeche sa

Plis sekirite

Dezenfekte zòn nan

Elimine tout poul ki malad

Byen tere yo

Netwaye zòn nan

Siw ap tere poul yo asire ou pa  
tere yo yon kote pou yo  
kontamine dlo nan zone nan epi  
tere yo fon pou lòt bêt pa leve yo

Note: wild waterfowl (ducks and geese) are natural reservoirs  
of AI virus

# Maladie de marex

Se yon viris ki rele *Alphaherpesvirinae*

Wap wè maladi sa nan poul ki gen plis ke 16 semèn

Wap plis wè maladi sa fè poul yo paralize nan zèl yo men konsa tou li ka atake pye poul yo tou

Yon lòt fòm nan maladi sa se li fè plim a pou yo anfle chanje koulè

Li fè yo gen gwo boul nan kò yo

Yon lòt siy ankò li chanje koulò zye poul yo ki ka fè poul avèg



## Sa pou fè pou anpeche sa

Plis sekirite

Vaksen


Dezenfekte zòn nan

Elimine tout pou ki malad yo

Byen tere poul yo

Netwaye zone nan

Men ki gwo maladi sa fè nan poul  
yo



# Maladi ki fè poul yo mal respire



*Mycoplasma gallisepticum*

Secondary *E. coli* infection is common

Poul yo pran maladi nan ze oubyen nan yon lòt poul



# Maladi ki fè poul yo mal pou respire

Siy

Maladi sa fè poul yo touse visaj yo anfle nen yo ap ran flim ze yo defòme

Mal pwodi ze

## Kòman pou anpeche sa

Achte poul nan zòn ou konnen ki pa gen maladi sa

Ba poul yo manje ki gen remèd Tylan oubyen Gallimycin

Remèd sa ka ede poul yo men li pap fin trete yo

Men fè atansyon paske tout vaksen pa bon pou poul yo

Menm lè ou fin ba poul yo remèd pou maladi a yo ka toujou afekte lòt poul

Li ap pi bon siw elimine poul la paske lap koute trop kòb pouw trete li



# Maladie enfekte



*Birnavirus ki koz maladi sa*

Maladi sa afekte ti poul yo sèlman

Gwo poul yo paka pran maladi sa

Maladi sa ka fè anpil tan nan lokal a poul yo

Ti bét nan zòn nan ka pote maladi sa nan yo pou plis ke 2  
**mwa koman pou enpeche**

## Men ki siy pou veye

fatig

dyare

Ap pike zèl li

Vant li anfle

Ou pa ka trete maladi sa

Ou ka ba poul yo vasken bonè pou sa  
pa rive yo

Ou bezwen bon plis sekirite



# volay



Caused by *Avipox* virus

Se 2 kalite valay ki gen

volay nan kò

Wap wè bagay ap leve nan kò a poul

Volay imid

Oubyen ou wè se nan bouch a poul la li leve

volay imid nan bouch toujou  
tire poul yo

## Koman pou anpeche sa

Ba gen trètman pou sa

Ou ka ba poul yo vasken bonè pou anpeche

Kontrole moustik

Plis sekirite ak pròpte



# Parasites andan



Ver rond (Ascarids)

Vè ki gen cheve (kapikilari)

ver caecal (Heterakis)

Ver de bande (Cestodes)



## Men ki siy pouw veye

Veye pouw wè si poul yo ap byen grandi ap byen pwodi ze

## Kòman pou anpeche sa

ba poul yo remèd pouw vè ou ka mete remèd nan manje a  
poul yo

Remèd ki rele piperazin bon pou vè rond ak vè caecal

Fenbendazòl bon pou ver rond ver caecal ak ti vè ki gen cheve



# La coccidiose



Maladi a rele *Eimeria sp.*

Wap jwenn maladi sa nan 9 kalite pou :

acervulina

maxima

tenella



Wap jwenn maladi sa nan 7 kalite kòdenn

Poul yo jwenn maladi sa nan twalèt ak lòt poul yo


Intestinal coccidiosis (caused by *E. acervulina*, *brunetti*, *maxima*, and *necatrix*)

Li fè poul yo pèdi pwa

Tèt kòk la piti

Mal pwodi ze.

Pye yo pèdi koulè



# Coccidiosis

Cecal coccidiosis *E. tenella*


mòtalite

Fèces sanglantes

Pèdi koulè nan tèt li

Plim li pa nòmal

Pa vle manje



## Kòman pou anpeche sa

Bonjesyon

Mete (coccidiostats) nan manje a poul yo


Byen trete poul ki malad yo

Men ki kalite remèd ou ka itilize coccidiostatic avèk coccidiocidal

Coccidiostatic redi maladi a

Coccidiocidal tiye jèm nan

Se nan manje a poul yo pouw itilize remèd sa yo



# Lòt kalite maladi

kolera (pasteurellosis)

mikròb ki koz maladi sa *Pasteurella multocida*

enfekte poul nan tout laj

Men sa pou veye

Dyare, mal respire, pa vle manje tèt li chanje koulè

Pa gen trètman

Vaksen ka ede yo

Infectious coryza

Mikròb ki koz maladi sa *Haemophilus paragallinarum*

enfekte poul nan tout laj

Men sa pouw veye

Nen li ap ran flim zye li anfle zye li pa vle ouvè epi mal  
pwodi ze

Vaksen ap trete li

Biosekirite

Pullorum disease (dyare ki gen koulè blan)

Mikròb ki koz maladi sa *Salmonella Gallinarum* and *Salmonella pullorum*

Wap jwenn li nan poul piti

Men sa pouw veye

Difilikte pou li mache gwo vant, zel li ap trenenn li  
toujou fatige

Mò a vin plis

Maladi sa ka soti depi nan manman poul la

Pa gen trètman

Plis sekirite

# Ti bêt nan kò a poul yo



## Les acariens



Acarien des jambes écailleuses (*Knemidocoptes mutans*)

Acarien de poulet (*Dermanyssus gallinae*)


Acarien de la volaille (*Ornithonyssus sylviarum*)



Northern fowl mite. A, Female before feeding. B, Engorged female. C, Egg mass on feather. D, Nymph.

# Siy maladi yo

Acarien des jambes  
ècaleuses li fè pye a poul yo  
dekale



Acarien de la volaille : fè plim a  
poul yo tounnen nwa epi li dekale  
plim a poul la



Tik ki vole plis sere nan ròch ak  
pye bwa



Rester rapide puces, plis kole nan  
zye a poul yo



# Kòman pou anpeche sa

## Acarien des jambes ècailleuses

Elimine oubyen mete poul ki enfekte yo apa

Ou ka mete lwl sou pye poul yo pou toufe bêt yo

Acarien avek lot ti bet yo

Veye kote pou ti bêt sa yo itilize remèd ki pap enfkte poul yo

Ou ka repare kay poul yo pou enpeche ti bêt yo rantre



# Denye panse sou maladi

Li gen plizyè bagay ou ka fè pou anpeche maladi yo, kenbe pròpte nan lokal ou

Toujou veye poul yo kontrol siw wè yon bagay ki pa nòmal adresel

Siw pa konnen pa pe mande moun konsèy

siw gen yon bagay pou fè nan kay poul yo fè li rapid pa pwan tan pouw fèl

Sonje toujou pran bon swen a poul yo sa ap enpeche anpil maladi

# Vaksen



# Vaksen

Vaksen bon pou proteje poul yo nan maladi ki gen deyò a

Vaksen an bon pou enpeche maladi sa yo

Maladi Newcastle

Maladi de marex

Gumboro (Ranikhet)

volaille

Volaille kolera

Kòman pou ba poul yo vaksen

1. Dlo zye
2. Piki nan kò
3. Pèse kò a poul yo
4. Nan dlo poul yo bwe



# Vaksen

1. Mete tout vaksen nan frijidè avan ou sevi avèl
2. Li gen vaksen ki ka sipòte chale men ou dwe toujou metel yon kote ki fre
3. Pa janm mete vaksen nan soleÿ.
4. Siw wap soti avèk yon vaksen toujou metel nan yon igloo avèk glas
5. Pa janm itilize pwodi chimik pou netwaye sereng itilize dlo cho
6. Toujou melanje vaksen nan dlo frèt
7. Pa janm itilize dlo ki gen klorin nan vaksen
8. Li pi bon pou ba poul yo vaksen lè soleÿ la pa cho
9. Ou pa sipoze pran anpil tan pou itilize yon vasken ki melanje
10. Toujou vaksen yo avan ou itilize li
11. Pa ba poul ki malad vaksen tann pou yo refè avan



# Egzanp kòman pou ba poul yo vaksen

These are only examples of programs and not suggestions

## COMMERCIAL LAYERS -

Age	Disease	Vaccination route
1 day	Marek's Disease (HVT/SB1 or HVT/Rispens)	Injection
18 days	Infectious Bursal Disease	Drinking water
24 days	Infectious Bursal Disease Newcastle Bronchitis	Drinking water Drinking water Drinking water
30 days	Infectious Bursal Disease	Drinking water
6 weeks	Newcastle Bronchitis	Spray Spray
10 weeks	Avian Encephalomyelitis <sup>2</sup> Newcastle Bronchitis	Spray Spray Spray
13 weeks	Avian Encephalomyelitis <sup>2</sup> Pox Newcastle Bronchitis Salmonella	Wing-web Wing-web Injection Injection Injection
15 weeks	Newcastle Bronchitis	Spray Spray

AGE	DISEASE	VACCINE	METHOD	DOSE
DAY OLD	MAREKS ND ✓ IB ✓	RISMAVAC HITCHNER BI IB H120	SC/JM SPRAY SPRAY	0.2cc FULL ½ dose
15 DAYS OLD	IBD ✓	228E (/Avipro Precise)	DRINKING WATER	FULL
21 DAYS OLD	IB + ND ✓	MA5 + CLONE 30	DRINKING WATER	FULL
6 WEEKS	FOWL POX ✓ IB + ND ✓ MG ✓	NOBILIS OVO-DIPH or TAD Pox IB/ND MG Bac	WING WEB EYE DROP SC NECK	FULL FULL 0.5cc
8 WEEKS	IB + ND ✓	MA5 + CLONE 30	DRINKING WATER	FULL
9 WEEKS	ILT ✓ CORYZA	MLT (/ LT IVAX T/C) AVIVAC	NASAL DROP SC NECK	FULL 0.5cc
12 WEEKS	AE ✓ MG ✓	AE MG Bac	DRINKING WATER SC NECK	FULL 0.5cc
14 WEEKS	IB + ND EDS	NOBILIS IB + ND NOBIVAC EDS	IM BREAST (L) IM THIGH (R)	0.5cc 0.5cc
16 WEEKS	SALMONELLOSIS * IB + ND CORYZA	NOBIVAC SG9R IB/ND AVIVAC	IM BREAST (L) EYE DROPS SC NECK	0.2cc 0.5cc

AGE	VACCINATION	METHOD
DAY 1 (Done By Hatchery)	MAREKS IB + NCD	INTRA MUSCULAR SPRAY
DAY 10-14	GUMBORO	DRINKING WATER
DAY 14-18	IB + NCD	EYE DROP
DAY 24-28	GUMBORO	DRINKING WATER
DAY 28-32	IB + NCD	EYE DROP
WEEK 6-8	NCD killed / IB + NCD - Live FOWL TYPHOID	IM / SPRAY INTRA MUSCULAR
WEEK 8-10	FOWL POX FOWL CHOLERA	WING STAB SUB CUTANEOUS
WEEK 12-14	FOWL TYPHOID	INTRA MUSCULAR
WEEK 16-18	NCD + IB + IBD (K) / IB + NCD (L) FOWL CHOLERA	IM / SPRAY SUB CUTANEOUS

IB and Newcastle : MA5 + Clone 30 at 19 weeks, 35 weeks and 50 weeks (drinking water).  
CORYZA vaccination is at 6 weeks (0.5cc), 9 weeks (0.5cc), and 16 weeks (0.5cc).

Deworming At 9-10 and 15-6, 21-22 & 28-30 Weeks. Use either a Levamisole (Ripercol) or Piperazine (Finiworm) based De-wormer and rotate every 2 to 3 treatments.

At 14 weeks, a vaccine that combines NOBILIS IB + ND & NOBIVAC EDS in one shot is preferable and more economical.

Note: Day 1 vaccinations are done at the hatchery.



Date of Hatching: \_\_\_\_\_

## INDIGENOUS CHICKEN VACCINATION PROGRAM

AGE	VACCINE	MODE OF ADMINISTRATION	REMARKS
Day old	Mareks	Subcutaneous	Mainly for commercial hatcheries
Day 10	Gumboro (1 <sup>st</sup> dose)	Drinking water	
Day 18	Gumboro (2 <sup>nd</sup> dose)	Drinking water	
3 Weeks	Newcastle disease (1 <sup>st</sup> dose)	Eye drop or Drinking water	
3 Weeks ( in hot spot areas)	Fowl pox	Wing web stab	
6 Weeks (Other areas)			
8 Weeks	Newcastle disease (2 <sup>nd</sup> dose) Fowl typhoid	Eye drop or Drinking water Intramuscular injection	
18 Weeks	Newcastle disease (3 <sup>rd</sup> dose at point of lay)	Eye drop or Drinking water	Repeat every 3 months
19 Weeks	De-worming	Drinking water	Repeat every 3 months

Notes:

- NEVER vaccinate sick chicken
- Consult your veterinary/livestock staff for detailed vaccination programs in your area



# Plis sekirite



# Kisa ki plis sekirite

## Sekirite viy

Nan tout sa wap fè fòk ou gen prensib pouw jere sa wap fè  
Nan ka sa fòk ou proteje poul ou yo pou maladi pa pran yo

### Men kisa ou ka fè

Pa kite moun rantre  
Pa kite lot poul deyo rantre  
Pa kite lot bét rantre  
Retire poul ki mouri ni malad rapid  
fòk ou konnen lè yon poul malad



### Eleman biosekirite

Se lè ou mete tout poul yo yon sèl kote  
Ou pa kite lòt poul rantre ou gen kontrol tout moun  
ki nan lokal la  
epi ou fèmen kay poul yo ak kle  
Separe tout poul nan laj yo  
toujou kenbe pròpte



# Pa kite moun rantre

Siw ta kite moun rantre nan lokal la fòk ou konnen si yo pat soti yon kote ki gen lòt poul

Klotire lokal ou pou moun ak lòt bèt pa antre epi mete yon siy pou moun wè

Toujou kenbe dosye de moun kap rantre lokal la pouw kennet kote yo soti e poukisa yo ap rantre

Toujou fè moun yo lave tennis yo apre mete yon sache sou tennis yo



Mete yon siy pou moun pa antre epi toujou gen yon kote pou moun lave men yo

# Netwaye tennis

**Itilize kivèt la  
avan ou rantre**

Poukisa pou netwaye tennis ou  
Paske tennis ou toujou sou pyew  
Ou ka ap pote yon mikrob nan tennis lan san ou pa rann kont

Gen yon kivèt pou moun tranpe tennis yo  
Toujou pase gade pouw wè si kivèt la sal pou pròptel paske si  
li sal li pap byen tiye mikròb yo

## Fok tout moun itilize kivèt



Menm mèt a lokal la fòk li itilize kivèt la siw ka gen 2

Tennis yon pou lokal lot lan pou lakay ou



# Itilize sache pou kouvri tennis yo

Toujou gen sache pou ba moun yo

Ou ka trouve sache tout kote si sache a pa près ou ka itilize yon dezyèm

Pou jis si yonn ta chire



Itilize sache pouw pa  
separe maladi



# Lave men ak rad ou

Toujou lave men wou lew soti ni rantre nan lokal ou



rad pròp ka anpeche ou separe  
maladi tou siw ka gen yon rad  
pou lokal ou sèlman li tap bon



# Fe tout sa ou konnen pouw anpeche lòt poul vin nan lokal ou

Itilize fil fè pouw bouche tout  
tou ki nan lokal la pou  
anpeche lòt poul rantre  
Mete dlo ak manje andan an  
pou poul deyo pa jwenn aksè



Pa melanje tout kalite zwazo epi pa kite  
poul deyò gen akse a poul ou



# Plis sekirite



Depi yonn kite lokal pa kitel rantre anko

Pa vini ak novo poul san ou pa trete li avan

Siw ap achte poul konnen kote poul yo soti asire poul la pa malad

Siw ka prezan lè lòt moun ap vann poul li ka bon pou gen abitid nan domènn nan

Separe novo poul yo pou twa semènn pou swiv siw gen maladi

## Retire poul ki malad yo avèk poul ki pa malad yo



# Tout rantre tout sòti

Yon bagay ou ka fè pou anpeche maladi se mete tout poul ki yon sel laj yon sèl kote

Separe poul yo nan plizyè lokal lèw fè sa menm siw pèdi yon gwoup poul nan maladi ou konnen ou pa pèdi tout

Fè tout poul ki nan lokal la gen yon sèl laj

Vann tout poul

Pa mete poul nan lokal pou 2 semèn lè sa ou gen mwens chans pou poul nouvo yo jwenn maladi

## Siw gen poul ki gen plizyè laj

Mete yo plizyè kote pou anpeche maladi

Jere ti poul yo avan ou ale nan lòt poul ki pi gran yo

Toujou lave men ak tennis avan ou rantre nan yon lokal

Siw ka gen plizye tennis pou chak lokal li tap bon



# Byen plase manje yo



Pa mete manje atè paske li ka  
vin gate oubyen sourit ka  
rantre ladaml toujou bat pou  
mete manje sou yon bagay



Storing feed properly can reduce rodent problems


# Kijan pou kontrole rat ak ti bêt

Rat ka koz anpil problèm nan kay yo avèk materyo epi yo pote maladi

Si wap sèvi avèk manje rat yo mete li yon kote timoun ni poul paka jwenn li

Ti bêt tou ka koz problèm nan kay yo epi yo pote maladi

Pwazon ou itilize pou ti bêt pa kitel yon kote pou timoun jwenn li



# Netwaye

Semp ti netwaye ka fè anpil bagay pou mache ranmase fatra ki nan lokal yo siw fè sa ou mete lokal ou nan yon pozisyon pou lokal la pa pran maladi

Si lokal ou pa gen fatra mikròb pa gen kote pou li sere toujou pròpte

## Kalite pwodi



### Natirèl

solèy (UV)


chalè

fredi

pH

Antibiosis

Organic Acids



### Ki pa natirèl

alkòl

Halogens


Coal Tar Products

Phenolics

Quats

Aldehydes

Ammonia



# Netwaye lokal ou

Retire fatra

Coupe zeb

Retire tout poul ki mouri

Netwaye manje rete ate a



## Lew gen maladi

Chèche sous maladi a

Pa ale nan lokal lòt moun

Retire tout poul ki malad yo ni sa ki mouri

Mete tout poul nòmal yo yon kote

Byen tere poul yo

Pa kite moun rantre nan lokal ou

Ni pa vizite lòt lokal

### Men sa ki koz maladi

Lòt zwazo

Lòt poul

moun

Chat

Pijon

Rat

Ti bèt piti yo

Vye bagay sa yo, paske se yo ki koz maladi yo



# dosye

(kenbe dosye)



# Lew nan biznis

avam ou rantre nan biznis fòk ou toujou gen yon plan

Ekri kisa ou pral pwodi

Ze

vyann

Plim poul

kòman ou pral pwodi li

Nan kay

Nan lari

Kote ou pral jwenn poul yo

Planifye nan ki mache ou jwenn poul yo

Ki kote ou pral vann machandiz yo

Kòman biznis ou an pral diferan ke lòt moun

Fe yon bidjè

Pa rantre fò nan biznis kòmanse piti avan

Ou ka fè vesò manje ak dlo pou ekonomize lajan

Grandi biznis ou lè ou kapab pa prese



# Kenbe dosye

Dosye enpotan pou wè kòman biznis ou ap mache


Fòk ou fè dosye pou

Lajan kap rantre ni sòti

Kòman poul yo ap pwodi ze

Sante poul yo

Pou wou ranje yon pwoblèm fòk ou kenbe dosye pouw wè kisa ou te fè pou rezoud li dejà



## Dosye lajan

Li enpotan pouw wè si wap rantre lajan ki sa ki pi bon pou wou

Date	Description	How Many	Total Cost	Income
10/Jan/2013	feed	400kg	\$200	
10/Jan/2013	fuel	20 liters	\$20	
12/Jan/2013	chicks	100	\$100	
01/Feb/2013	labor		\$30	
01/Mar/2013	labor		\$30	
09/Mar/2013	birds	90		\$450
Total			\$380	\$450
Net Income				\$70

# Dosye poul ki gen vyann

Konbyen poul ou gen

Kote ou te jwenn poul yo ak konbyen ou te jwenn

Kilè li kòmanse grandi ni kilè li fin grandi  
lanmò

Poukisa yo mouri

Konbyen yo peze

Chak semèn

Jis li fin grandi

Kenbe dosye

Konbyen manje wap achte

Pa semèn

An jeneral

Ki maladi

Konbyen poul ki malad epi nan ki laj

Dosye tout lòt bagay ankò

tan

Kalite manje

Pwooblèm materyo

Date	Feed Added	# Dead	Comments
June 1			
June 2			
June 3			
June 4			
June 5			
June 6			
June 7			

# Dosye poul ze

Kote poul la soti

Ki kalite ak

Konbyen ze li pwodi

Pa jou e pa senmèn

Laj a poul la enpotan

Laj a poul afekte prodiksyon

Grosè ze yo

lanmò

maladi

Konbyen manje yo manje

Number of Hens		
Date	Mortality	# eggs
9/1/2011		
9/2/2011		
9/3/2011		
9/4/2011		
9/5/2011		
9/6/2011		
9/7/2011		
9/8/2011		
9/9/2011		
9/10/2011		
9/11/2011		
9/12/2011		
9/13/2011		
9/14/2011		
9/15/2011		
9/16/2011		
9/17/2011		
9/18/2011		
9/19/2011		
9/20/2011		
9/21/2011		
9/22/2011		
9/23/2011		
9/24/2011		
9/25/2011		
9/26/2011		
9/27/2011		
9/28/2011		
9/29/2011		
9/30/2011		
10/1/2011		
10/2/2011		
10/3/2011		
10/4/2011		
10/5/2011		
10/6/2011		
10/7/2011		
10/8/2011		
10/9/2011		
10/10/2011		
10/11/2011		
10/12/2011		
10/13/2011		
10/14/2011		
10/15/2011		
10/16/2011		
10/17/2011		
10/18/2011		
10/19/2011		
10/20/2011		
10/21/2011		
10/22/2011		
10/23/2011		
10/24/2011		
10/25/2011		
10/26/2011		
10/27/2011		
10/28/2011		
10/29/2011		
10/30/2011		
10/31/2011		

# Dosye sante

Kote ou kite pou yo kouri

Kote poul yo soti

Istwa poul la

Kisa poul la ap fè

Konbyen tan

Konbyen ki afekte

Kilè li te premye rive

Si li rive deja

Kisa ou fè pou enpeche sa

Organic Farm Documentation Series						
Organic Poultry Flock Health Record						
Provided courtesy of NCAT's ATTRA Project, 1-800-348-9140						
Prohibited health care practices must be used, including appropriate antibiotic use, proper food sanitation, good housing, outdoor access, non-lot, modest physical alterations, and vaccines. Synthetic medications must be on the National List. You must not treat sick birds (unless treatment to preserve species status or poultry meat with permitted substances must be clearly identified. (95% L3, 920.2B, 920.600))						
Farm Name or Unit:		Date Chicks / Poults Placed:		Production Year:		
House # or Flock ID:						
Date of Slaughter or Date Egg Production Begins:						
In columns for Day 1 through Day 7, record the number of birds that died each day.				Total Number of Chicks / Poults Placed:		Total Number of Birds Produced:
Week	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Poultry flock health records.xls

May be copied and distributed as needed.


# Dosye

Li enpotan pou kenbe dosye yo paske li edew wè siw te gen yon problèm kijan ou te rezoud oubyen si se yon sèl problem ou tojou ak gen nan lokal la

Lew kenbe dosye a li edew apran plis de biznis ou

Lew gen yon biznis ou pa kenbe dosye li vin few pa gen kontròl nan sa kap fèt nan biznis lan

Kenbye dosye pou plizyè ane yon  
kote ki an sekirite



Jon Moyle  
jmoyle@umd.edu

<http://extension.umd.edu/poultry>



---

UNIVERSITY OF  
**MARYLAND**  
EXTENSION

The latest version of this book can be found  
at:  
<https://agnr.umd.edu/global-impact/poultry-management-developing-communities>

The University of Maryland, College of Agriculture and Natural Resources programs are open to all and will not discriminate against anyone because of race, age, sex, color, sexual orientation, physical or mental disability, religion, ancestry, or national origin, marital status, genetic information, or political affiliation, or gender identity and expression.